### SUPPLEMENT TO

# The Cazette



## of Andia

No. 31 ]

#### NEW DELHI, SATURDAY, JULY 30, 1955

#### OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd July, 1955

<u> </u>	<b>HOLERA</b>	SMAI	LLPOX	PLAG	UE		Сног	LERA	Smaj	LLPOS	PLAC	∌ÚB
C	D.	c.	D.	C.	D.		C.	D.	C.	D.	C,	D,
STALES PART	(A) & I	PART	( <b>C</b> )			A	Assam—a	contd.				
	Ajmer					(Estd. mid-year pop. 9,672 thousands.)						
TOTAL	••			.,		Total for w/e 25-6-55			,	••		
(Estd. Mid-year pop. 741 thousands).						Total for w/e 18-6-55	. 7	3				
Total for w/e 25-6-55 .		-4	.,	<b>-</b>	••	7-yearly mean for the	28	19	I			
Total for w/e 18-6-55		2	2	•	• -				-	•	• -	
7-yearly mean for the							Вьо	_				
week -	• ••	••	••	• .	-		N.	R.				
	Andhra						В	lhar				
Srikakulam - •	5 2	••	1	4.0	-+	Patna	. 14	7	1	I	~	_
·	• ••	6	••	-	~	Gaya	• 34	15	I	1		
30041		8	3		<b>₽</b> W	Saran	• 6	1	2	_	_	••
Godavari West	••	9	3	446		Monghyr			I	••	_	••
Krishna		3	1	-	4,0	Bhagalpur	• 4	1	• •	••	_	-
Guntur	••	15	4	-		Santal Parganas .			33	8		
Nellore	•	5	• •		-	Hazarlbagh	. I	I	••	••	_	_
Kurnool	•• ••	6	••	••	* *-	Manbhum	. 32	17	ĮĮ	2		••
Ansntapur	• •	I	• •	*	•	Total.	. 9I	42	49			
Chittoor - ·	• •	10	••	••	••		~ 91	4*	49	12	••	•
TOTAL .	5 2	63	12	••	••	(Estd. mid-year pop. 41,828 thousands.)						
(Estd. mid-year pop. 21,013 thousands.)						Total for w/e 25-6-55	• 31	17	69	11		
Total for w/e 25-6-55	3 2	19	15			Total for w/e 18-6-55	<b>.</b> 41	10	52	17		
Total for w/e 18-6-55	6 5	96	22			7-yearly mean for the week				-,		••
7-yearly mean for the	<b>23</b> 38	150	27			week .	. 116	52	142	29	••	••
1		120	31	••			Ben	bay				
f	ssam 2					Greater Bombay		••	6	2		••
Cachar '		• •	•-	••	••	Ahmedabad			2	3	• -	-
Kamrup	5 4	• •	• •	•	•	Ahmednagar .	,	• •	20		••	••
	6	44	• •	•	•	East Khandesl) ,			9	3		••

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd July, 1955—contd.

		Сно	LHT.▲	Smal	LPOR	PLAC	បេខ	Cholera Smallpon Plag	UE
_		C.	D.	C,	D.	C,	D.	C, D, C, D, C	D
Во	mbay—	contd.						Madhya Pradesh	
West Khandesh		6	3	11	••	••	••	Nagpur 33 11	
Nasik		••	••	6	I	••		Chhindwara - · · · · 6 4	
Poons .		. 2	1	I	1		••	Bhandara 25 9	
Satera North .		••	_	I	2	••	••	Jabalpur 1	• •
Sholapur .		1	I		4-	010	<b>416</b>	Sagar 9 1	••
Bijapur		16	5	••	***	_	_	Hoshangabad 15 3	
Kolhapur .		4	2	•	-	-	••	Balaghat 10 4	• •
Tor	rat.	29	112	56	12		••	Bilaspur	••
		-/	1	۰,۰		**	••	Durg 4 1	<b>*</b> #
(Eatd, mid-year por 38,892 thousands.	) )							Bastar 6	••
Total for w/e 25-6-5	5	. 139	29	102	7	•	••	Raigarh 6	••
Total for w/e 18-6-5	i <b>5</b> -	61	3	106	. 11	••	••	Amravati 5 I	••
7-yearly mean for th	ne							Akola	••
weck	• •	59	21	12	3 <b>2</b>	••	••	TOTAL 128 34	
·		c	corg					(Estd. mid year pop. 21,948 thousands)	•-
Tot	AL .	••	••	1	1	••	••	Total for w/e 25-6-55 • 33 13 194 33	
(Estd. mid-year p	op.						•	Total for w/e 18-6-55 • 62 35 177 40	•-
256 thousands.)								7-yearly mean for the week) 106 50 125 22	
Total for w/e 25-6-5	i5 ·	•	-	8	2	-			••
Total for w/e 18-6-5	• •	••	••	7	3	0.0	••	Madras	
7-yearly mean for week .	the	••		_	_		-	South Arcot · · · · · · · · · · · · · · · · · · ·	•-
-								Mathural · · · · · · · · · I	-
		Đ	elhi					Remnathapuram 2	••
Delhi City .	•	••	•-	I -	••	••	••	Malabar 30 12	• ••
New Delhi	• •	••	••	I	••	**	-	TOTAL 33 13	••
Delhi Notified Area Delhi Shahdara	•	••	••	1	2	••	••	(Estd. mld-year pop. 37,797 thousands.)	
Deim Sharaara	• •	_	••	•	••	_	••	Total for w/e 25-6-55 24 8	
To	TAL -	••		3	2	••	••	Total for wie 19.6-ss	
(Retd. mid year p	op.							7-yearly mean for the	• •
Total for w/e 25-6-5			••	4		••		week	••
Total for w/c 18-6-5				3	••		••	Manipur	
7-yearly mean for 1				-				TOTAL	<b>.</b>
week .	, ,	••	van	I	816	**	••	(Estd. mid-year pop. 606 thousands.)	
	i	Himac	h <b>ai</b> Pri	adesh				Total for w/e 25-6-55	
			N. R."					Total for w/e 18-6-55	••
	Explan	etion o	ı Symb	ols use	d : C.	- Cases	; D.	-Deaths;Nil; "N. R."-Information not received.	

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd July, 1955—contd.

									104/1 1955	—u	mia.								
			Сно	LERA	SŅ	fALLPO:	<b>K</b> ]	PLAGUE						Снога	SRA S	MALLP	Dχ	PL/	
	<del></del>		C,	D.	C,	D,	C	. D	•		_		,	C. I	o. (	2. [	<b>)</b> .	C,	D.
			O	risea						τ	Jttar J	Prac	lesh, ~,	contd.					
<cuttack< td=""><td></td><td>-</td><td>5</td><td>I</td><td></td><td>••</td><td>•</td><td></td><td>Etawah .</td><td></td><td>•</td><td></td><td>•</td><td></td><td>. 1</td><td></td><td></td><td></td><td></td></cuttack<>		-	5	I		••	•		Etawah .		•		•		. 1				
Balasore .	-	•		••	I	••	• •	• •	Kanpur .			-			. I.	4 :	ı .		••
Puri	•		34	16	2			-	Allahabad			•	٠.		. :	5 5		1	
:Sambalpur			2	I	10	I	••	••	Jhensi .				٠.						
Ganjam		•	9	2	••	••	••	••	Jalaun .		•		٠.	•	9	) r	•		
Kalahandi		•	•	••	4	3	••	••	Banda	•		•	•	,	. 4	• ••		•	••
	TOTAL	•	50	20	17	4		••	Mirzapur						. ;				••
Estd. mid-y 15,020 tho	car pop.								Ghazipur		• ,	ı				_			
Total for w/e			22	12					Deoria .			-	. ,		. з	I			
Total for w/e			19	8	42 <b>33</b>	4	••	**	Nainital		. ,				2		••	1	••
7-yearly mean		•	19	0	22	τ	••	••	Almora .			,			1	I			••
week .		•	102	56	75	6		••	Garhwal .	,					13	3	•	•	••
			Panja	l) de	)				Rac Bareilli	•			٠	• • •	3	2	• •		••
Kernal .						1		••	Hardoi .					• •	7	5			
Ferozepur				• •	2	••	••	••	Kheri .						,• •	I			
I	Тотал				2	ı	_	••	Faizabad					••	ı	••			••
3std. mid-yes	ar pop.								Bahraich						• •	2	-•		• •
12,641 thou	sends.)		,							7	[OTAL				90	37			
otal for w/e		•	••	•	10	••	• •	••						- •	,,,	2/	••	,	• •
'otal for w/e		•	- •		12	4	• •	• •	(Estd. mid-y 66,112 thou	ear Ban	da.)								
-yearly mean week	o tor the	-	••	• .	22	5		••	Total for w/e	25-	6-55		13	4	114	42			
									Total for w/e	18-6	5-55		3	I	113	58	••		
			Trip	ura					7-yearly me	an T	for		<b>-</b> .0				•	•	•
	TOTAL	٠.	·• .	•	••	••	• •	••		•	•	•	<b>24</b> 8	147	92	38	••	••	
∢Estd. mid-yes	ıf pop											•	Vlndh	e Pred	iesh				
694 thousand													N	. R.					
Total for w/e 25		٠.	• •	-	P1 <b>0</b>	••	••												
Total for w/e 18	3-6 <b>-5</b> 5	•	• ,,	•	••	••	••	-	Burdwan .					Bengu)					
										•	•	•	38	13	2	I	••	**	,
		Utt	ar Pra	desh					Birbhum	-	•	•	16	5	••	••	••	••	
Saharanpur .	• •	•	• •		4	3	••	••	Bankura		•	•	I	••	x	I		••	
Muzaffarnagar	•	• ••	••	2	2	<b>I</b> ,	••		Midnapur	•	•		24	11	3	••	••	••	
Mathura .	٠ .		••	1	τ.			L	Hooghly .				61	27	••	• •	••		
Mainpuri .			••		4	2	••	••	Howrah .				136	66	4	4	٠.		
Bareilly .				4		,	••	••	24-Parganas				140	70	ı				
		Ex	planatio		-			- Casci	: DDeaths;	=	Nil ;			ıformat	ion no	receiv	ed.	••	

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week endings the 2nd July, 1955.—contd.

		Chola	ra S <b>m</b> a	LLPOI	Piac	JU E	Cholera Smallpox Plague
		C,	D. C.	D.	C.	D.	C. D. C. D. C. D.
	West Bengal	-contd.					Patiala and East Punjab States Union
Calcutta .		236	73 3	3	••	••	TOTAL
Nadia		3	ı	••	••	**	
	TOTAL	655 26	56 14	9	••		Rajasthan
(Estd. mi 2,60,98 tho	d-year pop. usands).						N. R.
Total for w/e	25-6-55 .	824 3	46 12	7	••	••	Saurashtra
Total for w/e	18-6-55	639 <b>2</b> 5	y9 <b>2</b> 3	Io	••	••	N. R.
7-yearly mean week	n for the	327 12	8 98	30	••	••	Travancore-Cochin
Grand Tot	al for States						TOTAL 4 3
Parts (A)		859 34	8 45 <b>6</b>	137		••	Grand Fotal for States Part (B)
(Estd. mid-y 295,062 th	car pop. ousands.)						Grand Total for States
Total for w/	e 25-6-55 ·	1,093 4	31 647	129	••	••	Parts (A), (B) and (C). 888 363 521 152 6 1.
Total for w/e	18-6-55	848 3	41 <b>6</b> 38	173	••	••	
7-yearly mean			_				ORISSA
week'	• •	1,148	544 679	196	••	••	*w/e 25-6-55
							Cuttack 4 2
	STA	TES PA	RT (B)			•	Balasore
		Hyderab	ad				Puri 6 5 2
Aurangabad	• • •	5	3 I	••	••	••	Sambalpur 14 2
Raichur .		14	8	••	**	**	Bandh
Warrangel		•• •	. 1		••	2.00	Koraput 6 1
Hyderabad		••	,. 2	-	••	••	Mayurbhanj · · · · · · · 2 · · · · · · · · · · ·
	TOTAL .	19 1	II 4	••	••	••	Bolangir Patna
	jemr	nu and Ka	ashmir				Kalahandi
		N. R.	•				TOTAL . 22 12 42 4
	M	adhya-Bh	Arat				
Greater Gwa	lior	••		r	••		ARREAR INFORMATION
Gird .		••	. 13	3	••	••	Saurashtra
Nimar .		••	7	4	••	**	w/e 25-6-35
Ratiam		••	. 2	••	••	••	TOTAL
	TOTAL .	••	. 22	8	••	••	DL1
		Мусог	•				Bhopal .
Chitaldrug		• •	21	2	••	••	w/o 14-5-55 Total 48 12
Kolar .			. 14	2	6	1	
Bellary •		10	4	••	••	**	w/e 21-5-55 Total 50 5
	TOTAL .  Explanation of	10 Symbols u	4 35 sed:— <b>C.</b> =	4 -Casca;	6 D•=	r Deaths	*** *** **** ***** ****** ****** ******

Reported attacks and death; from cholera, smallpox, plague and typhus in districts in India during the week ending the 2nd July, 1955—concld.

	Снотега	Smallpox	PLAGUE		Shoj.era	SMAI LPOX	PLAGUE
	C. D.	C, D.	С. Ц	_	C. D.	<b>C.</b> D	٠. D.
	Rajasthan				nachal Pradesi	p	
	*w/e 28-5-55			TOTAL .	vle 28-5-35		
TOTAL		86 21			Vindhya Prad	esh	
_	w/e 4-6-55				w/e 11-6-55		
Total .	• • • • • • • • • • • • • • • • • • • •	<b>9</b> 5 <b>2</b> 0	•	Total •	• 9 4	53 18	
	w/e 11-6-55			٨	ladhya Bhari	a t	
TOTAL .	• • • • •	20 2			w/e 11-6-55		
				TOTAL		20 6	
I	Jammu and Kash	mir			w/e 18-6-55		
				Total -		4	••
I	w/e 28-5-55				w/a 25-6-55		
TOTAL	• • • • • • • • • • • • • • • • • • • •	10 2	·•	TOTAL		30 6	••
	Explanation of Symbo	is used : C	-Cases ; D.—Deaths ;	-Nil .*Revised figu	ires.		

New Delhi-2 (India); The 25th July, 1955.

K. MITRA, for Registrar General, India.

### Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S Small Savings Scheme

### and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
   GREAT RIVER VALLEY PROJECTS
   SOCIAL WELFARE SCHEMES

- RAIL AND ROAD DEVELOPMENT

#### PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/ Individual holding upto Rs. 25,000/
IO-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3; per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/ Individual holding upto Rs. 25,000/
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 45 per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/ Individual holding upto Rs. 1,000/
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and it per cent on balance upto Rs. 15,000/

#### 15-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000 - & Rs. 28,000 holding upto Re. 28,000/-.

Refunded together with compound interest at 3) per cent per annum in the form of monthly payments spread over a period of fifteen years.

#### YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing those investments please write to the National Savings Commissioner Simila, or to the Regional Actional Saving: Officer of your State.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending

on the and				-	•					, 1955	,	i from 1	-				ū
T	own				Mid,-year Popn, Est. (000)	В.	B.R.●	с.	s.	P.	F.	D.D.		M.D.	Total	D.R *	J.D
							ST.	ATES	(Par	ts A an	<b>d C</b> )						
Ajn	1 <b>e</b> r								"N.	F"							
And	ihra																
Adoni Anentapur Anakapalii	:	:	:	:	61 36 45	47 <b>2</b> 5 33	38.1 36.0 40.1	•••	••	•••	··· 7	3 1 1	2 2 3		13 6 18	8.6 20.8	4
Bhimavaram Chirala Chittoor†	•	:	•	•	35 42	22 11	32·7 13·6	••	••	••	1 3		-	::	2 8	9 9	•••
Cuddepah Eluru†			•	•	41	47	60.6	••		• •	••		, .	• •	6_	7:7	1
Gudivada	•	•	•	•	35	29	43.1		••	••	2	• •		••	4	5.9	
Guntur† Guntakal Kakinada	•	:	:	:	143 36 111	90 17 39	32·8 24·5 17·8	••	••	••	5 1 3	2 I	3 1	••	10 38	13·8 14·4 4·7	11 5 -
Kurnool Masulipatnan Nandyal	1	:		:	67 86 <b>3</b> 7	67 73 26	52.0 44.0 36.5	::	••	••	4 	6 1	4 2 1	••	22 20 8	17·1 12·1 11·2	2 4 3
Nellore Proddatur† Rajahmundry		•		•	92 119	79 76	44°4 32°2	••	••	••	5 8	8 2	1 4	2	46 <b>3</b> 7	25 9 16·2	1 <b>3</b> 6
Tenali Vijayavada†		•		•	65	52	41.7	••	••	••	I	I	2	I	20	16.0	5
Visakhapatnan	<b>a</b>	•	•	•	124	98	41.3	••	••	••	6	3	5	••	50	21·1	14
Vizianagram		•	•	•	74	5 <b>3</b>	37*2	••	••	••	I	••	3	I	35	24.6	Ιţ
	To	TAL	•	•	r,249	884	36•8	••	.,	••	48	29	34	4	353	14.7	86
Assa	m	}															
Bho	pal	}						¢	N, F.	•							
Biha	ır	j															
Воп	bay	7											_				
Ahmedabad Ahmednagar Amainer	:	:	,	:	870 87 49	661 69 36	39.5 41.2 38.2	••	<del>4</del>	••	14 4 3	17 5	62 4 1	••	252 25 9	14·9 9·5	93 10 8
Bagalkot Baroda Barei	:	:	•	:	36 2 <b>37</b> 45	23 179 43	33 · <b>2</b> 39 · <b>2</b> 49 · <b>7</b>	••	••	••	7 14 5	1 	12	••	12 55 13	17·3 11·2 15·0	3 13 7
Belgaum Bhusawal Bijapur	:	:	:	:	109 61 73	86 68 49	41·0 57·8 34·9	••		••	<b>2</b> 6 2	5 1 1	 1 4	••	25 12 11	12·0 10 2 7·8	10 3
Broach Cambay Chalisgaon	:	:		•	66 41 34	73 37 36	57°5 46°9 <b>5</b> 5°0	••	•••	••	 6	I		••	17 7 10	13 4 8·9 15·3	2  I
Dharwar Dhulia . Gadag-Betege	ri		:	:	75 87 70	38 73 56	26·3 43·6 41·6	••	••	••	3 4 10	 I	3 3 2		20 14 25	13·9 8 4 18·5	 4 
Godhra Greater Bomb Hubli	a <b>y</b>		•	•	40 3,335 144	35 1,559 50	45·5 <b>24·3</b> 18·0	••	 2 	••	6 3 4	35 I	103 7	1 2 1	10 671 22	13·0 10·4 7·4	3 201 3

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

99 58 112

66.8

8.8

13 16 31

Jalgaon Kalyan Kolhapur

<sup>†</sup> Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Piague; F.—Fevera; D. D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd July, 1955—contd.

					Deaths from :—									
	Town	Mid.=year PopnEst. (000)	8.	B,R.*	c.	s.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I,D,
	Bombay—contd													
Malegaon Miraj Nadiad	* * * * * * * * * * * * * * * * * * *	• 62 44 • 70	65 23 54	54·5 27·1 40·1	••	••	::	9  13	••	2 [		15 7 20	12·6 8 3 14·9	2 11 5
Nandurbar Nasik Navsari	• •	. 34 . 115 . 49	15 77 27	22·9 34·8 28·6	••	••		2 16 8	6	 6	 I	7 58 1 <b>2</b>	10.4 26.5 10.4	3 17 ···
Pandharpur Patan Poona	• • •	• 44 • 46 • 584	45 52 284	53.2 58.7 25 3	••	••	••	 	2 1 12	6 2 35	 1 8	15 14 145	17.7 15.8 17.7	7 4 53
Sangli Satara Sholapu <del>r</del>		57 40 293	41 36 239	37 4 46·8 42·4	• •	• •	· ··	3 1 13	 7	3 2 20	 	21 15 87	19·1 19·5 1 <b>5</b> ·4	8  30
Surat Thana†		245	175	37.1	• •	••	•••	5	3	II	2	67	14.2	23
	Total .	· 7,444	4,573	31.9		6	••	180	107	304	19	1,753	13.2	524
	Delhi State													
Delhi City New Delhi N. A. C. Clv	vil Station, Delhi	. 1,085 . 355 . 111	614 120 86	29·4 17·6 40·3	••	2	••	119 11 3	8 3 2	24 9 5	 	190 64 22	9·1 9·4 10·3	52 11 10
Delhi Cantt. Delhi-Shaho	ira .	. 49	60 32	63·7 32·6	••	••	::	·· 5	ĭ	ï	••	5 11	5 3 11'2	٠.,
	Тоты.	1,651	912	28.7	• •	2	••	138	14	39	I	292	9.2	76
	Madhya Pra	desh			"1	V, R."		-						
	Madras													
Ambur Aruppukotta Bodinayakan	i	. 44 . 54 . 39	22 46 24	26°0 44°3 32°0	••	•••	···	3 1	6 2	:: ::		7 12 8	8·3 11·6 10·7	 I 2
Cannanore Chidambarar Coimbatore.	n	. 46 . 38 . 227	34 28 <b>241</b>	38·4 38·3 55•2	••	••	::	 2 2	 20	1 3 19	··· I	15 7 84	17.0 9.6 19.2	3 16
Cuddalore Dindigul Erode	• • •	73 88 65	37 37 71	26·4 21·9 56·8	••	••	::	4 3	4 1 2	· 2 2 4	I T	34 19 22	24°2 11°2 17°6	9 5 8
Gobichetty Palayam Guddiyattan	· : : :	: 37 : 51	6 4 <b>2</b>	8.4 42.8	••	••	••	3	::	I I	••	I	I'4 II'2	••
Kancheepura Karaikudi Karur		. 89 . 43 . 48	95 <b>22</b> 37	55·5 26·6 40·1	••	••	••	4	2 •• 2	12  r	 	27 2 19	2°4 2°6	7 - 4
Kozhikode Kumbakonan Madras		. 173 . 102 . 1,649	216 81 1,372	64·9 41·3 43·3	••	:: ::	••	21 4 65	2 1 118	5 4 165	I I	124 30 659	37·3 15·3 20·8	24 12 <b>1</b> 94
Mangalore Mathurai Mayuram		. 133 . 415 . 48	78 <b>2</b> 94 44	30·5 36·8 47·7	::	••	••	9	3 11 1	6 49	 3 I	35 1 <b>54</b> 17	13.4 19.3 18.4	4 54 5
Melapalayam Nagapattinan Ottacamund		. 40 . 60 . 46	11 49 39	14°3 42°5 44°1	••	••	••	3 	2 2 I	2 1 6	· · · · · · · · · · · · · · · · · · ·	11 24 19	14.3 20.8 21.3	 8 5
Palani Palayemkotta Palghat	i : : :	. 39 . 44 . 76	39 50 75	52.0 59·1 51·3	••	••	···	3 3	3 4	5 1 13		14 26 45	30.8 30.4 18.4	3 11 7
Periyakulam Pollachi Pudukottai	es of towns where t	33 49 49	34 36 <b>3</b> 5	53·6 38·2 37·τ	••	••	**	I I	3 3 4	2 2 1	••	17 16 18	26·8 17·0 19·1	2 8 2

<sup>\*</sup>In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup>Figures not available.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in Total deaths); ..—Nil Information.

Births and leaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd July, 1955—contd.

Death8	from	1—
Donate	TEATH	•

								_		LCAL		—						
	To	wn			Mid-year Popn. Est. (000)	В.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	. М.	D. '	Total	D.R.*	I.D.
Mad	ras—	contd.															•	
Rejepelayam Selem Srirangam	:	:	:	:	67 234 41	31 131 13	24·1 29·1 16·5	•••	•••	• •	1 4 ••	9 5 ••	3 10 1			26 62 9	20-2 13-8 11-4	8 4 •
Srivilliputtur Tanjore Tellicherry	:	:	:	:	43 115 4 <sup>2</sup>	29 78 49	35·1 35·3 60·7	::	<del>-</del>	••	2 5 I	3 ••	9 3			20 44 15	24.5 18.6 18.6	7 4 5
Tiruchirapalli Tirunelveli Tiruppur		· •	•	:	245 79 61	163 67 49	34·6 44·1 41·8	::	::	•••	3  2	10 1 3	11 5				15.1 10.2 21.3	13 4 8
Tiruvannamala Tuticorin Vaniyambadi	i . ·	:	:	:	44 109 42	31 68 26	36·6 32·4 32·2	••	••	••	ı 	2 3 4	1 11	ï		11 35 14	17.3 16.4 13.0	2 8 6
Vellore . Villupuram Virudunagar	•	:	:	•	121 39 51	104 35 32	44.7 46.7 32.6	••		••	I I	3 2 5		ĭ		43 11 16	18.2 14.7 16.3	12 2 6
		Тота	L	•	5,231	4,101	40.8			••	156	249	373	17	1,8	95	18.8	485
Berhampur . Cuttack . Puri .	· · ·	rissa :	: :	:	70 114 53	30 170 <b>5</b> 9	22·4 77·7 58·1	••	••	•		7 4		7 •		15 50 22	11·2 22·9 <b>2</b> 1·7	3 7 7
		Тс	<b>YAL</b>		237	259	56•8	• -		•	. 1	5 8	;	9.		87	19 1	17
	Pun	jab (I	)															
Ambala Amritsar Batala	•	•	•	•	64 335 61	41 134 26	33 °4 20 ° 22 ° :	9.			•- ;	2 2 2	2 5 3	2 38 5	3 1	1 <b>6</b> 89 18		8 23 4
Bhiwani Ferozepore . Hissar	•	:	•	•	56 4 <b>3</b> 38	52 2 <b>2</b> 33	48 · 45 · 3	7 .				10 1 4	I 1 2	1  I	 	18 4 10	16·8 4·8 13·7	6 1 4
Hoshiarpur Juliundur . Karnal .	:	:	•		50 194 69	23 130 32	24 ° 6 35 ° 24 ° 1	ο.		•	••	3 5 7	1 4	2 9 I		10 27 11	7.3	4 4 2
Ludhiana . Moga . Panipat .	:	:	•	•	ė,	115 19 38	34°9 24° 32°	8.			:		 2	4 I		38 10 13	_	7 4 5
Pathankot . Rewarlf	•	•		•	32	38	60.	<b>.</b>	• •	•	••	8 .	•	4	4.0	14	22.1	7
Mohtak	٠	•	,	•	102	63	321	2.	• •	•	••	5	•	••	••	14	7.2	7
Simla† Sonipat		•		•	• 33	30	47	4 •		•	••	5		••	• •	7	11.1	6
		Тотаі	L.	•	1,352	<b>796</b>	30	٠6	••	I		99	21	68	5	29	9 11.5	92
	Utt	arļPr	ades	h														
Agra Allahabad Amroba	:	•	:	:	367 342 60	212 150 47	30 22 40	9	. 3	1		7 4 6	5 I	80 <b>32</b> 2	 	15 7 2:	75 11	4 16
Bahraich Banaras Ballia	:	:	:	:	46 375 34	18 276 13			•	•	••	4 52 2	10	16 	•••	17.	9 10·2 2 23·9 7 10·7	34
Banda Bareilly Bijnor	:	:	:	:	32 201 31	14 5 <b>2</b> 13		. 5		ĭ •		6	3 1	1 5	••	2	3 4·9 2 5·7 5 8·2	7 6
Budaun Basti† Bulandshahr	•	•	•	•	54 <b>41</b>	31 12	•	•			 -	9 4	••	I ••	••		4 13:	
* In case	es of 10	owns v	vhere	there	has been an	abnorma	al movem	ent of	popula	tion.	it is li	kelv th	at the	popu	lation	estim	iates may	not be

<sup>\*</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

#### †Figures not available.

Explanation of symbols used:—B.—Births; B. R.—Birth Rate; C.—Cholcra; S.— Smallpox; P.—Plague; F.—Fevers; D. D.— Dysentery and Diarrhees; R.D.— Respiratory Diseases; M.D.— Maternal Deaths; D.R.—Death Rate; I.D.— Infantile Deaths (included in total deaths); ...— Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week endirg the 2nd July, 1955—contd.

Deaths from :-Mid-year B.R.\* S. F. C. D.D. R.D. M.D. Total D.R.\* b. LD. Town Popn Est. (000) Uttar Pradesh-contd. Chandausi 40 30 39° I 22 2 17 141 30 II'I 1 15 26 Dehra Dun 63 13 21.5 8 45 37.2 Etawah **2** 8 Faizabad-Ayodhya Farrukhabad-Fatehgarh 38 18.4 1 12 6 8 81 **2**9 2 19 76 14 6 20 13.7 30·1 12 1 96 Ferozabad 4 2 45 36 26 6 Ghaziabad . . 69 20 I 12 5 17:4 Ghazipur 137 29.8 т6 8 Gorakhpur Т 12:2 3 75 30 23.0 Gonda Hapur ٠. 5 7 18.4 32 6 48 I 2 16 17 4 63 36 29.8 8 Hardwar 1 2 2 28 23.2 9 6 2 41.0 49 2.[ Hathras 48 17 56 **2**5 23.3 3 I 14 4 Jaunpur . . . 87 115 20 8 Ihansi **7**16 37**İ** I 16 7°7 Kanpur . . 93 45 5 274 9 I 34 9 13.8 4 Kasganj . . . Khurja Koil-Aligarh 20 3 **2**2 26·1 40 1 18.3 52 47 16:4 12 485 24I 25.9 6 35 7 34 I 141 15·1 Lucknow 45 108 106 5112 6 31 Ι 1 50 18 Mathura Mau-Nath Bhanjan 37 181 6.6 2 8 I, ĭ 62 17.9 11 7 23 Meerut - • . . Mirzapur-Vindhyachal 24<sup>-</sup>3 TO 2 65 27 163 Moradabad 6 4 14 32 10.2 19.5 Muzaffarnagar 9 6.5 ż 6 45 17 19 Pillbhit ΙI 12.7 ٠. 4 154 158 Rampur . . 104 1 2 32 Saharanpur 44 14.5 ΤO 64 50 40+7 2 Sambhal 3 4 17 3 29·5 9 8 47 **2**0 29 Shahjahanpur 99 24 . . 1 56 · . 48 Sitapur 2,612 25.6 TOTAL 5,311 T 25 517 71 302 ΙT 1,544 15.1 421

West Bengal

"N.R."

GAT D 22

#### STATES (Part 'B')

Jami	nu d	k K	ashm	dr			"N	.R."									
Madl	цуа 1	Bhat	rat				"N. I	₹."									
Муя	ore :	State	e														
Bangalore City Davanagere Kolar Gold F				:	93 <b>6</b> 67 170	5 <b>13</b> <b>23</b> 90	40·0 25·1 27·5	**			 3	49 4 7	80 3 10	••	214 22 46	16·7 24·0 14·1	· ·
Mysore City					285	123	25.9	• •	••		7	4	5	••	47	9.9	
		Тот	AL	•	1,458	749	27•7		••	••	18	64	98		329	11.7	••
1	PE	PSU	J														
Patiala City Malerkotla Bhatinda		• •	:		1C8 34 38	51 19 24	24·6 29·1 32·8	••		••	9 3 4	I I	2  2	 	31 3 11	14.9 4.6 15.1	11 
		To	TAL		180	94	27.2				16	2	4	I	45	13.0	Ť2

<sup>\*</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used:—B.=Birth; B.R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Pevers; D.D.=Dysentery and Diarrhosa; R.D.=Respiratory; Diseases M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile Deaths (included in total deaths) ...=Nilinformation; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd July, 1955—contd.

							De							
	Town	Mid-year PopnEst. (000)	В.	B.R.*	c.	S.	Р,	F,	D.D.	R,D	. м.D.	-	D.R.* !	.D.
	Rajasthan													
Alwar Bharatpur!		60	38	32.9		ı		4	I	••	• •	10	9.2	2
Bikaner		117	51	22.7	••	• •	• •	4	2	10		26	11.6	2
Churu Ganganagar Tonk†	: : : :	<b>46</b> 45	3	3.4	• •		••	2	••	••	••	r 6	6.8 1.1	1 2
Kotah Sikar†		71	10	7.3	••	••	• •	3	• •	I	••	6	4'4	
Jaipur .		341	57	8.4	••	••	••	17	٠.٠	14	••	51	7.8	22
Udalpur† Jodhpur		196	38	10.1	••			9	I	7	I	26	6.9	9
	Total .	876	197	11.7	••	I	• •	39	4	32	1	126	7*5	38
	Saurashtra			"N	.R "									
	Travancore-Cochin	ı												
Alleppey Changanache Ernakulam	ery	142 40 69	106 42 40	38·8 54·6 30·1	···	 3	••	3 •• 2	••	••	::	22 II 22	8'1 14'3 16 6	 6
Kottayam Mattancherr Nagercoil	i	49 83 91	36 78 40	38·2 48·9 22·6	 ::	••	••	 3 6	3 	 3 4	••	10 18 15	8 6 11'3	1 4 7
Quilon Trichur Trivandrum	City	73 75 213	96 30 34	68·4 20.8 8·3	•••	•••	••	 I 2	6 4 1	2 4 2	::	41 16 18	29.2 11.1 4.4	 2
	TOTAL	835	502	31.3		3		17	15	15		173	10.8	<b>2</b> 5
				ARRE.	AR R	ETUR	'NS							
	Assam			For w/e	the I	8th Jur	ie, 1955							
Shillong† Gauhati Dibrugarh	: : : :	50 49	4 4	4·2 4·7	•••	::	::	7 I	I •••			18	18·7 2·4	2
Silchar		42	17	21.0		••	••	2	r			9	11.1	
	Total .	1,41	25	9.5	٠.		••	10	2		₩ndr	29	10 7	2
Bhopal w/e 1	Bhopa1	114	79	36.0	•			2		r		7	2.2	
Bhopal w/e I	18-6-55	114	٤٥	36.5	••	••		2	••	2	••	ıή	3.2 3.2	•••
	PEPSU		F	for w/s th	ie 25th	June,	1955							
Patiala City Malerkotla Bhatinda		108 34 38	71 19 11	34 <b>.5</b> 34.5	···	···	···	18 3 5	::	 	••	37 3 6	17.8 4.6 13.7	 16
	Total .	1,80	101	29.3	••	• •	••	26	• •	4	• •	46	13.3	17
	Bihar			Por w/e	the 18	th Jun	e, 1955							
Arrah Bihar Bettiah	: : : :	69 67 38	4 8 20	3.0 6.2 27.4	···	•••	••	3	 2	••	••	2 5 6	8.2 3.9 8.5	···
Bhagalpur Chapra Darbhanga		68 92	27 12	20·7 6·8			••	2 <b>2</b>			••	10 7	7·7 4·0	
Dhanbad Dinapur Gaya	: : : :	40 44 146	10 4 36	13.0 4.7 12.8	••		••	 I 21	· · · · · · · · · · · · · · · · · · ·	ĭ 7	:: i5	2 2 47	2·6 2·4 16 7	

<sup>•</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used :—B.—Births, B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D. D.—Dysentery and Diarrhosa; R.D.—Respiratory Diseases; M. D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total death); ..—Nil information, N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 2nd July, 1955—concld.

Deaths from :-Mid-year Total D.R. I.D. Town popn.-Est. В. B.R. C.  $\mathbf{S}$  . Р. F. D.D. R D. M.D. (000) Bihar-contd. For w/e 18th June, 1955 Hazaribagh 15 9 125 20.5 38 .. 6 6.8 Jamalpur 10 2 3 Ī 46 ٠. **J**amshedpur 10 2 . 2 3 27'0 Katihart Monghyr 3 2:0 2 5 3.3 79 Muzaffarpurt Patna 321 10 66 10.7 25.0 154 3 I Ranchi 126 7.4 7.9 3·7 6·8 3 4 9 6 Puru llia 46 3 . . 6 1,461 16.1 50 10 183 6.5 451 13 15 4 ٠. Assam For we the 11th June, 1955. Shillongt 6 Gauhati 50 6.2 2 4 Dibrugarh 2 2.4 44 6 Silcher . 42 Q T T + T T T T 7.4 . . TOTAL 136 46 2 13 5.0 12 5 1 West Bengal For wee the 18th June 1955 Asansol † Baidvabati 33 65 3 10 3 5 7 1 4·7 8·0 Bally 1 4 1 3 5 Bankura 50 12 12.5 **1** - 0 1 ٠. Bansberiat 87 26 Baranagar 15.5 1 3 4 Ι 23 13.7 31·1 7·7 5·5 Berhampur 62 37 I I Rhadreswar 34 I Bhatpara 8.9 141 15 5 2 3 24 7 32 81 Budge Budge 1 1.6 3 2 8'1 ٠. Burdwan 11 2 10 6 4 32 9 19.5 Calcutta 2,931 1097 109 Ι 45 73 125 3 725 157 Champdani 40 10 13.0 2.6 Darjeeling English Bazar 37 35 **25** 16 35 · 2 23 · 8 ٠2 I 2 5 10 14.1 3 4.5 Garden Reach 121 17 2 7:3 3 τ 17 7.3 2.6 22.6 1 3 Halisahar 40 60 Hooghly Chinsura 64 I 2 8 4 140 Howrah **4**71 15.5 2.1 4 10 Ĭς 25 127 14.1 34 Kanchrapara 71 16 11.8 ī 106 100 5 Krishnagar 55 Į I I 15 14.2 I Midnapur 44 67 20° I 17 1 2 17 6 Nabadwip 13\*2 5 7.0 61 Naihati 5.1 1 **2**∙6 3 North Barrackpore 36 ٠. 1 T Ι. I Santipur 48 ΤŌ 10.0 2 2 82 38 Serampore 24.2 ٠. 2 3 2 15 9.5 4 Siliguri 42 9 11'2 ٠. 3 I б 7 4 South Dum Dum South Suburban 79 130 0.7 9'6 22 5 3 3 19 83 9 Titagarh 76 22 15.1 2 . . ΙI 13 8.9 TOTAL 5,101 5 1754 17 9 151 94 118 171 5 1066 10·9 229 Saurashtra For we 25th June, 1955 Bhavnagar 19:4 57 3 1 12 6 8 Dhoraji 46 41 46·3 24·7 12 13.6 Gondal 40 19 I 4 5 2 119 4<sup>-8</sup> 17**-6** IΙ Jamnagar 1 18 24°3 7 6 5 2 4 65 Junagadh . . 13 Morvi 42 10 12 4 6 7.4 Porbander 37:1 45 152 8 2 23° I 14 Raikot 161 49·1 27·8 6 3 13 1 ٠. 5 86 Surendranagar 15 12.5 41 10 5 Veraval 8 45 9 2 4 5.8 TOTAL 662 375 29.5 55 14 26 3 50

<sup>\*</sup> In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

<sup>†</sup> Figures not available.

Explanation of symbols used :-B.-Births; B.R.-Birth Rate; C.-Cholera; S.-Smallpox; P.-Plague; F.-Fevers; D.D.-Dysentery and Diarrhoea; R.D.-Respiratory Diseases; M.D.-Maternal Deaths; D.R.-Death Rate; I.D.-Infantile Deaths (included in total deaths); ..-Nil information.

#### REMARKS

The figures of births and deaths shown in this statement for week ending the 2nd July, 1955, relate to 185 towns with an estimated population of 25, 824 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 62% of the total number of towns representing 66% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 15,679 and 6,896 representing birth and death rates of 31.6 and 14.0 per thousand of population respectively.

(a) States (Part A and Part C):—The data here relate to 162 towns with an estimated population of 22, 475 thousands. Information about Ajmer, Assam, Bihar, Madhya Pradesh & West Bengal could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 64% of the total number of towns representing 69% of the

total population is covered. The number of births and deaths recorded in these towns were 14,137 and 6,223 representing birth rates and death rates of 32.7 and 14.4 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(b) States (Part B):—The data here relate to 23 towns with an estimated population of 3,349 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 48% of the total number of towns representing 52% of the total population is covered. The number of births and deaths recorded in these towns were 15,42 and 673 representing birth and death rates of 23.9 and 10.4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States		Current w/e	2-7-55	Corresponding	g w/c last 'year	Corresponding mean during the previous 5-year period	
		B.R.	D.R.	B R.	D.R.	B.R.	D.R.
Andhra .		36 8	14.7	37.4	13.6	t	†
Bombay .		31.9	12 2	28'1	12.2	30.6	14.4
Delhi		28 7	9.2	28.5	12.6	3 <b>2*</b> 4	13.0
Madrus .	-	40.8	18-8	34.9	16.1	ţ	t
Опава		56 8	19.1	42,3	22.9	41.4	23.0
Punjab (I)		30 f	11.2	29.5	11.1	27.2	12.3
Uttar Pradesh		25.6	15.1	23.0	16.9	<b>26</b> ∙o	17.3
India (only States Parts A & C).		32.7	14.4	28.5	. 15.1	28.8	15.7
	† Figures not available.						

† Figures not available.

New Delhi-2 (India); The 25th July, 1955.

K. MITRA, for Registrar General, India.